

Office Action Response
U.S.S.N. 09/960,639
Page No. 3

CLAIM AMENDMENTS:

Please amend the claims as follows:

face = not

1. (Currently Amended) A clip comprising:
a face member with a convex bend at a first end having an inner face member, pivotably connected to a base member having a concave bend at a first end having an inner face, the base member having and a mounting portion at a second end; and

a biasing member urging the first end of the face member toward the first end of the base member;

base = smooth

wherein the inner face member of the convex bend of the face member is not smooth, wherein the non-smooth surface is selected from the group consisting of a stippled surface, a knurled surface, a surface comprising a plurality of beads and a surface comprising a plurality of protuberances.

2. (Currently Amended) The clip of claim 1, wherein the inner face member of the convex bend of the base member comprises a smooth surface member.

base = not

~~3. (Cancelled) The clip of claim 1, wherein the inner face member of the convex bend of the face member comprises a knurled surface member.~~

4. (Original) The clip of claim 1, wherein the face member and the base member comprise steel.

5. (Original) The clip of claim 4, wherein the steel is cold rolled steel.

Document No. 88348

Office Action Response
U.S.S.N. 09/960,639
Page No. 4

6. (Original) The clip of claim 1, wherein the face member and the base member comprise brass.

7. (Original) The clip of claim 1, wherein the face member and the base member are composed of a single piece.

8. (Original) The clip of claim 1, wherein the biasing means comprises a leaf spring.

9. (Original) The clip of claim 1, wherein the biasing means comprises a coil spring.

10. (Currently Amended) A clip comprising:
a face member comprising:
a first end with a convex bend therein, comprising an outer surface member and an inner surface member;
a second end;
two side edges; and
at least one extension extending away from the inner surface member, defining an opening,
a base member comprising:
a first end with a convex bend therein, comprising an outer surface member and an inner surface member;
a second end defining a circular hole;
two side edges; and
at least one extension extending away from the inner surface member, defining an opening;
fastening means for pivotably fastening the face member to the base member; and

Document No. 88348

Office Action Response
U.S.S.N. 09/960,639
Page No. 5

a coil spring operative to urge the first end of the face member toward the first end of the base member;

face = smooth
wherein the inner surface member of the first end of the face member is smooth.

11. (Original) The clip of claim 10, wherein both the face member and the base member each comprise a pair of extensions, one on each side edge, extending substantially perpendicularly from the inner surface member, each extension defining matching circular openings.

base = smooth
12. (Currently Amended) The clip of claim 10, wherein the inner surface member of the first end of the base member is smooth.

?
~~13. (Cancelled) The clip of claim 10, wherein the inner surface member of the first end of the face member is knurled.~~

14. (Original) The clip of claim 10, wherein the fastening means comprises a rivet.

15. (Original) The clip of claim 10, wherein the face member and the base member each comprise a single piece of metal.

16. (Currently Amended) A personal document display comprising:
a clip comprising:

a face member comprising:

a first end with a convex bend therein, comprising an outer surface member and an inner surface member;

a second end;

two side edges; and

Document No. 88348

Office Action Response
U.S.S.N. 09/960,639
Page No. 6

at least one extension extending away from the inner surface member, defining an opening;
a base member comprising:
a first end with a convex bend therein, comprising an outer surface member and an inner surface member;
a second end defining a circular hole;
two side edges; and
at least one extension extending away from the inner surface member, defining an opening;
fastening means for pivotably fastening the face member to the base member; and
a coil spring operative to urge the first end of the face member toward the first end of the base member; and
a document display pivotably mounted to the base member at the circular hole;
wherein the inner surface member of the first end of the face member is smooth.

face = smooth

17. (Original) The personal document display of claim 16, wherein the document display comprises a clear sleeve operable to accept a document.

18. (Original) The personal document display of claim 16, wherein the document display comprises a card operative to accept graphic, photographic, alphanumeric, bar code, and/or magnetic information.

19. (Currently Amended) The clip of claim 1 wherein the convex ends of the face member and the base member are each coated or covered or encased in a plastic or rubber material or material providing greater friction with clothing material.

Document No. 88348

Office Action Response
U.S.S.N. 09/960,639
Page No. 7

base = smooth
20. (New) The clip of claim 16, wherein the inner surface member of the first end of the base member is smooth.

21. (New) A clip comprising:
a face member with a convex bend at a first end having an inner face member, pivotably connected to a base member having a concave bend at a first end having an inner face, the base member having a mounting portion at a second end; and


face = smooth
a biasing member urging the first end of the face member toward the first end of the base member;

wherein the surface of the inner face member of the convex bend of the face member is not smooth, wherein the non-smooth surface is selected from the group consisting of a stippled surface, a knurled surface, a surface comprising a plurality of beads and a surface comprising a plurality of protuberances.

22. (New) A clip comprising:
a face member comprising:
a first end with a convex bend therein, comprising an outer surface member and an inner surface member;
a second end;
two side edges; and
at least one extension extending away from the inner surface member, defining an opening;
a base member comprising:
a first end with a convex bend therein, comprising an outer surface member and an inner surface member;
a second end defining a circular hole;

Document No. 88348

Office Action Response
U.S.S.N. 09/960,639
Page No. 8



two side edges; and
at least one extension extending away from the inner
surface member, defining an opening;
fastening means for pivotably fastening the face member to the base
member; and
a coil spring operative to urge the first end of the face member toward the
first end of the base member;
wherein the surface of the inner face member of the convex bend of the
face member is not smooth, wherein the non-smooth surface is selected from
the group consisting of a stippled surface, a knurled surface, a surface
comprising a plurality of beads and a surface comprising a plurality of
protuberances.

23. (New) A personal document display comprising:

a clip comprising:

a face member comprising:

a first end with a convex bend therein, comprising an outer
surface member and an inner surface member;

a second end;

two side edges; and

at least one extension extending away from the inner
surface member, defining an opening;

a base member comprising:

a first end with a convex bend therein, comprising an outer
surface member and an inner surface member;

a second end defining a circular hole;

two side edges; and

at least one extension extending away from the inner
surface member, defining an opening;

Document No. 88348

Office Action Response
U.S.S.N. 09/960,639
Page No. 9

fastening means for pivotably fastening the face member to the base member; and

a coil spring operative to urge the first end of the face member toward the first end of the base member; and

a document display pivotably mounted to the base member at the circular hole;

wherein the surface of the inner face member of the convex bend of the face member is not smooth, wherein the non-smooth surface is selected from the group consisting of a stippled surface, a knurled surface, a surface comprising a plurality of beads and a surface comprising a plurality of protuberances.

face - not

REMAINDER OF PAGE INTENTIONALLY BLANK

Document No. 88348